## Material Safety Data Sheet May be used to comply with

OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072



IDENTITY (As Used on Label and List)  PVC Fitting Covers			Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.			
Section I						
Manufacturer's Name			Emergency Telephone Number 480-967-8888			
Accessible Products Company			Emergency Telephone Training 400 907 0000			
Address (Number, Street, City, State, and ZIP Code)			Telephone Number for Information 480-967-8888			
2122 West 5 <sup>th</sup> Place						
Tempe AZ 85281 USA			Date Prepared <b>01/01/2011</b>			
			Signature of Preparer (optional)			
Section II Hazardous Ingredients/Identity Information						
Hazardous Components (Specific Chemical Identity; Common Name(s)) OSHA PEL ACGIH TLV Other Limits Recommended % (optional )						
None known						
Section III Physical/Chemical Characteristics						
Boiling point		n/a	Specific Gravity		1.1-1.5	
Vapor Pressure		n/a	Melting Point		n/a	
Vapor Density n/a			Evaporation point		n/a	
Solubility in water Insoluble						
Appearance and odor Smooth, hard sheet product, no appreciable odor						
Section IV Fire and Explosion Hazard Data						
Flash point (method used) 753°F ASTM D 1929 Flammable limits n/a						
Extinguishing media Water, carbon dioxide, or foam						
Special Fire Fighting Procedures Use self contained breathing apparatus designed for acid vapors. HCl generated when burning.						
Unusual fire or explosion hazards Gives off HCl when ignited, non-explosive. Heavy dilution with water recommended.						
Section V Reactivit	<del> </del>					
Stability		tions to avoid	Temperatures above 450	)° <b>F</b>		
T	Stable X					
Incompatibility (materials to avoid) Fire, strong acids and alkalis						
	nposition or by-products <b>Hydrogen chloride</b> May occur  Conditions to avoid <b>Overheating</b>					
Hazardous		tions to avoid	Overheating			
Polymerization	Will not occur X					
Section VI Health Hazard Data						
Route(s) of entry Inhalation? No Skin? No Ingestion? No						
Health Hazards (acute and chronic) This material will not enter the body during normal use						
Carcinogenicity None NTP? IARC Monographs? OSHA Regulated?						
Signs and Symptoms of Exposure None at normal service temperatures. When burned, eye and/or respiratory tract infections.						
Medical conditions generally aggravated by exposure None known unless burned, eye and respiratory tract infections.						
Emergency and First aid Procedures If exposed to HCl from burning, flush with water and remove to fresh air.						
Section VII Precautions for Safe Handling and Use						
Steps to be taken in case material is released or spilled n/a						
Waste disposal method Disposable as landfill, do not burn						
Precautions to be taken in handling and storing Keep below 450°F, do not store near flammable liquids						
Other Precautions None						
Section VIII Control Measures						
Respiratory protection (Specify type)  None in normal use, self contained air pack in the event of fire  Variable in the event of fire						
Ventilation Local Exhaust None			Special			
Mechanical (general) None				Other		
Protective gloves None Eye protection None						
Other protective clothing or equipment None						
Work/Hygienic Practices None						
(Reproduce locally) OSHA 174, Sept. 1985						